

Affordable pricing overview for FABM/NFP

FABM/NFP Specific Website: <https://shop.miracare.com/pages/nfpfabm-community>

Mira Pricing Overview

Mira products	Retail Price	Price after 45% discount	Price per unit
Basic kit (10 plus wands)	\$189	\$103.95 (-85.05)	Monitor \$86.05
Max kit (20 max wands)	\$219	\$120.46 (-98.54)	Monitor \$71.51
20 plus wands	\$64.99	\$35.75 (-29.24)	\$1.79/ plus wand
20 max wands	\$89	\$48.95 (-40.05)	\$2.45/ max wand

Cost-effective testing strategy:

Testing mode	Testing days	Number of wands	Wand price after 45% off	Cost
28 day cycle Max (E3G, LH, PdG) wands	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18	Max 13 wands	\$2.45/wand	\$31.85/cycle
34 day cycle Max (E3G, LH, PdG) wands	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	Max 15 wands	\$2.45/wand	\$36.75/cycle
28 day cycle Plus (E3G, LH) and Max (E3G, LH, PdG) wands	Plus: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, Max: 16, 17, 18	Plus 10 wands Max 3 wands	\$1.79/wand \$2.45/wand	\$25.25/cycle

Testing mode	Testing days	Number of wands	Wand price after 45% off	Cost
34 day cycle Plus (E3G, LH) and Max (E3G, LH, PdG) wands	Plus: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 Max: 20, 21, 22	Plus 12 wands Max 3 wands	\$1.79/wand \$2.45/wand	\$28.83/cycle
Postpartum testing Max (E3G, LH, PdG) wands based on 30 day month	Every day Every other day	30 wands 15 wands	\$2.45/wand	\$73.50/month \$36.75/month
Postpartum testing Plus (E3G, LH) wands based on 30 day month	Every day Every other day	30 wands 15 wands	\$1.79/wand	\$53.70/ month \$26.85/month

Ideal Wand Combination for NFP Users

For NFP users confirming ovulation through PdG levels, Mira recommends either using **MAX wands only** or a **combination of PLUS and MAX wands** for a cost-effective and reliable approach.

- **Option 1:** Use MAX wands exclusively.
- **Option 2:** Use PLUS wands during the follicular phase until the LH surge, then switch to MAX wands for 3–5 days to confirm ovulation. Continue with MAX if PdG results remain inconclusive.

Note: Avoid switching wand types or lots within the same cycle to maintain consistency in E3G measurements. Switching after ovulation is acceptable.